




# Safety Wristband

2021.01 V1.0

Copyright ©2021 ePropulsion. All Rights Reserved

## Parameter

Product name:	ePropulsion Safety Wristband
Net weight:	26 g
Size:	67*23*64 mm
Wireless transmission power:	20 dBm
Wireless frequency:	2.4 GHz
Communication distance:	10 m
Waterproof level:	IP67
Working time:	100 h
Operating temperature:	-20 °C ~ 45 °C
Charging voltage:	5 V
Charging current:	80 mA
Charging time:	2 hours



## Indicator light

Operating	Green light flashes	Power on
	Red light flashes	Low power
	Steady red light	Emergency stop
	Red and green lights flash quickly and alternately	Pairing
Charging	Steady red light	Charging
	Steady green light	Fully charged

## Operating

**Power on:** Short press the button of the wristband, the red light of the wristband will light up for 1 second, then the green lights flash quickly for 30 seconds, and the green light will flash every 5 seconds finally. The wristband will work normally.

**Power off:** When the wristband is powered on, press and hold the button of the wristband (5 seconds) until the green light is always on, then release the button, and the red light flashes 3 times. The wristband will shut down.

## Emergency stop

### 1. Press the wristband button

When the wristband is powered on, short press the wristband button until the red light is always on, then the outboard motor will stop immediately.

## 2. The communication is interrupted

When the communication between the wristband and the outboard is interrupted, the outboard will automatically stop. It protects the passengers when they can not press the button (e.g. the man overboard).

## Pairing

1. Turn on the Evo Remote Control/Evo Tiller, then press and hold the UP and OK buttons to enter the wristband pairing interface. The interface displays the wristband logo and the "SE" symbol.
  2. Turn on the wristband. If the wristband has not been paired, the red and green lights will flash alternately after turning on. Meanwhile, the wristband is pairing.
  3. If it displays the wristband logo and "SUC" logo, the wristband is paired successfully. Then the wristband will automatically shut down. It can be used normally after turning it on again.
- If the Evo Remote Control/Evo Tiller does not change the display within 2s, you can continue to press the OK button to try again until it succeeds.
  - If the wristband needs to be paired with other Evo Remote Control/Evo Tiller, please press and hold the button of the wristband (10s) when the wristband is off, then the red and green lights flash alternately three times. The wristband will erase the original pairing information and automatically shut down.

## Cautions

1. The first time you use the wristband, you need to pair it with the Evo Remote Control/Evo Tiller.
2. The wristband can be charged by connecting to a 5V USB interface.
3. Do not drop, impact, puncture the product.

## Warranty

ePropulsion Safety Wristband is guaranteed against any manufacturing defects for TWO years from the date of purchase.

# WARRANTY CARD

## ePropulsion Safety Wristband

---

(In order to validate warranty, please fill in this form first  
and read the Warranty Policy.)

### OWNER INFO

Owner Name \_\_\_\_\_ Phone \_\_\_\_\_

Email \_\_\_\_\_

Address \_\_\_\_\_  
\_\_\_\_\_

### DEALER INFO

Store Name \_\_\_\_\_ Phone \_\_\_\_\_

Email \_\_\_\_\_

Address \_\_\_\_\_  
\_\_\_\_\_

### PRODUCT INFO

Date of Purchase (mm/dd/yyyy) \_\_\_\_\_

Serial No. \_\_\_\_\_

**Guangdong ePropulsion  
Technology Limited**

**Dealer's signature:**

✉ service@epropulsion.com

🌐 www.epropulsion.com

\_\_\_\_\_

\* Dealer info should be filled by the dealer when the product is purchased.

\* Dealer's signature indicates confirmation of above information.